

Safety Data Sheet

Issue Date: 18-Aug-2014	Revision Date: 28-Jul-2015	Version 1			
	1. IDENTIFICATION				
Product Identifier Product Name	Buckeye Sani-Q2				
Other means of identification SDS #	BE-5680				
Product Code UN/ID No	5680 UN1903				
<u>Recommended use of the chemica</u> Recommended Use	al and restrictions on use Disinfectant. Sanitizer.				
Details of the supplier of the safet	y data sheet				
Emergency Telephone Number Emergency Telephone (24 hr)					
	2. HAZARDS IDENTIFIC	ATION			
Appearance Clear liquid	Physical State Liquid	Odor Mild scent No fragrance added			
<u>Classification</u>					
Skin corrosion/irritation Serious eye damage/eye irritation		Category 2 Category 1			
<u>Signal Word</u> Danger					
Hazard Statements Causes skin irritation Causes serious eye damage					
Precautionary Statements - Preven Wash face, hands and any exposed Wear eye/face protection Wear protective gloves					

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	<5
Ethyl Alcohol	64-17-5	<2

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES **First Aid Measures General Advice** Call a poison center or doctor immediately for treatment advice. **Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately. **Skin Contact** Take off contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. If redness or irritation occurs and persists, seek medical attention. Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek medical attention for further treatment. Ingestion Have person sip a glass of water if able to swallow. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention to assess further treatment. Most important symptoms and effects Symptoms May cause eye burns and permanent eye damage. Nausea. Headache. Direct contact with skin can cause irritation or redness. Indication of any immediate medical attention and special treatment needed Notes to Physician Treat symptomatically. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. 5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media

Foam. Water spray (fog). Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

 Personal Precautions
 Use personal protective equipment as required.

 Environmental Precautions
 See Section 12 for additional Ecological Information.

 Methods and material for containment and cleaning up
 Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wear eye/face protection. Wear protective gloves. Wash face, hands, and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use. Store at room temperature. Protect from direct sunlight. Protect from extreme temperatures.

 Packaging Materials
 Rinse container before discarding.

Incompatible Materials Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations. Wear safety glasses or goggles to protect against exposure.
Skin and Body Protection	Refer to 29 CFR 1910.138 for appropriate skin and body protection. Wear rubber gloves or other impervious gloves.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements. No protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance	Liquid Clear liquid	Odor	Mild scent No fragrance added
Color	Clear	Odor Threshold	Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range	<u>Values</u> 7.0 ± 0.5 (conc) 7.0 ± 0.5 (1:128 dilution) Not determined 100 °C / 212 °F	Remarks • Method	
Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	 > 65 °C / > 149 °F 1.0 n/a-liquid Not applicable Not determined Not determined 0.99 Infinite Not determined 	Pensky-Martens Closed (Water = 1)	Cup (PMCC)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

See Sec. 7 Handling & Storage.

Incompatible Materials

Chlorine bleach. Anionic detergents. Strong oxidizing agents. Strong reducing agents.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes serious eye damage.
Skin Contact	Causes skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h

Information on physical, chemical and toxicological effects

Symptoms	Please see section 4 of this SDS for symptoms.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Carcinogenicity	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.	

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Alcohol		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
64-17-5		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 2: 48 h
		LC50 static 13400 - 15100:		Daphnia magna mg/L EC50
		96 h Pimephales promelas		Static 10800: 24 h Daphnia
		mg/L LC50 flow-through 100:		magna mg/L EC50
		96 h Pimephales promelas		
		mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status		
Ethyl Alcohol	Toxic		
64-17-5	Ignitable		

14. TRANSPORT INFORMATION

Note

DOT

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

UN/ID No	UN1903
Proper Shipping Name	Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzylammoniumchloride)
Hazard Class	8
Packing Group	III

.....

UN/ID No	UN1903
Proper Shipping Name	Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzylammoniumchloride)
Hazard Class	8
Packing Group	III
IMDG_ UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1903 Disinfectant, liquid, corrosive, n.o.s. (Alkyldimethylbenzylammoniumchloride) 8 III

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Alkyl dimethyl benzyl	Present	Х		Present		Present	Х	Present	Х	Х
ammonium chloride (C12-16)										
Ethyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\textit{DSL/NDSL} \ \text{-} \ \textit{Canadian Domestic Substances List/Non-Domestic Substances List}$

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65		
Ethyl Alcohol - 64-17-5	Carcinogen		
	Developmental		

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	Х	Х	Х
64-17-5			

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability 0	Special Hazards
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	18-Aug- 28-Jul-2 New for	2015		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet